


Paulding County 1,000 Gallon Grease Interceptor







Scale: 1/4" = 1'





sales@bartowprecast.com 770.382.4462 WWW.BARTOWPRECAST.COM

MODEL: 111-01031

PRODUCT INFORMATION 1,000 GALLON GREASE INTERCEPTOR

TANK = 9,500 # LID= 4,200 # DESIGN MAY VARY

SPECIFICATIONS MEETS ASTM C 1613

RATING: A-16 (H-20), ASSUME 4' MAX EARTH COVER WITH 3' WATER TABLE BELOW GRADE

STEEL REINFORCEMENT: MEETS ASTM A 615, PLACEMENT AS REQUIRED BY DESIGN CONCRETE: 5,000 PSI @ 28 DAYS

INLET & OUTLET BOOT MEETS ASTM C 923, ACCEPTS 4" & 6" PVC

BUTYL SEALANT: MEETS ASTM C 900, USED ON JOINTS

INTERNAL PIPING BY OTHERS PER MUNICIPAL SPECS ACCESS OPENING SUITABLE FOR 24" RISER AND/OR RING & COVER

CALL FOR ADDITIONAL SPECS CROSSOVER TO BE 6" PVC



DRAWING INFORMATION

Date:	Revision:	Checked By:	Drawn By:
12/10/18	_	CBC	CJ13

APPROVED BY:

sign:	print:

*actual dimensions may vary slightly