




7'x4'x5' (ID) VAULT











sales@bartowprecast.com 770.382.4462 WWW.BARTOWPRECAST.COM

SS120-50704 L0805-3636

7'x4'x5' (ID) UTILITY VAULT PRODUCT INFORMATION

VAULT = 9,000 # LID = 2,300 # *design may vary

SPECIFICATIONS MEETS ASTM C858 & C857

RATING: NON-TRAFFIC

CONCRETE TO BE 4,000 PSI @ 28 DAYS

REINFORCING STEEL MEETS ASTM A 615

10" STEPS ON 12" CENTERS

BUTYL SEALANT MEETING ASTM C 990 TO BE USED ON JOINTS

ACCESS HATCH SHALL BE FABRICATED WITH 1/4"
ALUMINUM DIAMOND PLATE DESIGNED TO SUPPORT 300 psf 36"x36" FRAME OPENING EQUIPPED WITH: SLAM LOCK, FLUSH MOUNT LIFT HANDLE, HOLD-OPEN ARM, SS HARDWARE AND HINGES

PENETRATIONS SIZE AND LOCATION VARY PER JOB

CALL FOR ADDITIONAL SPECS



DRAWING INFORMATION

Date:	Revision:	Checked By:	Drawn ву:
2/3/17	<u> </u>	CBC	IJU

APPROVED BY:

sign: print:

*actual dimensions may vary slightly