





12'x7'x5' (ID) Vault















sales@bartowprecast.com WWW.BARTOWPRECAST.COM 770.382.4462

SS120-51207 L1308-3636

PRODUCT INFORMATION

12'x7'x5' (ID) UTILITY VAULT

*design may vary Vault = 15,000 # Lid = 7,100 #

SPECIFICATIONS MEETS ASTM C858 & C857

RATING: NON-TRAFFIC

CONCRETE TO BE 4,000 PSI @ 28 DAYS

REINFORCING STEEL MEETS ASTM A 615

10" STEPS ON 12" CENTERS

BUTYL SEALANT MEETING ASTM C 990 TO BE USED ON JOINTS

ACCESS HATCH SHALL BE FABRICATED WITH 1/4"
ALUMINUM DIAMOND PLATE DESIGNED TO SUPPORT 300 psf 36"x36" FRAME OPENING EQUIPPED WITH: SLAM LOCK, FLUSH MOUNT LIFT HANDLE, HOLD-OPEN ARM, SS HARDWARE AND HINGES

PENETRATIONS SIZE AND LOCATION VARY PER JOB CALL FOR ADDITIONAL SPECS



DRAWING INFORMATION

Drawn By:	JJG
Checked By:	ARL
Revision:	1
Date:	6/24/2025
746.	0101

\triangleright
٦
P
$^{\sim}$
\circ
2
Ħ
\sim
W
\prec

print:	
	AFFROVED D
	V ED
	D I

sign: actual dimensions may vary slightly