




12'x8'x5' (ID) Vault











WWW.BARTOWPRECAST.COM 770.382.4462

SS120-51208 L1309-4848

PRODUCT INFORMATION

Vault = 15,700 # Lid = 7,700 # 12'x8'x5' (ID) UTILITY VAULT

SPECIFICATIONS MEETS ASTM C858 & C857 *design may vary

RATING: NON-TRAFFIC

CONCRETE TO BE 4,000 PSI @ 28 DAYS

REINFORCING STEEL MEETS ASTM A 615

10" STEPS ON 12" CENTERS

BUTYL SEALANT MEETING ASTM C 990 TO BE USED ON JOINTS

ACCESS HATCH SHALL BE FABRICATED WITH 1/4"
ALUMINUM DIAMOND PLATE DESIGNED TO SUPPORT 300 psf 48"x48" FRAME OPENING EQUIPPED WITH: SLAM LOCK, FLUSH MOUNT LIFT HANDLE, HOLD-OPEN ARM, SS HARDWARE AND HINGES

PENETRATIONS SIZE AND LOCATION VARY PER JOB CALL FOR ADDITIONAL SPECS



DRAWING INFORMATION

Date:	Revision:	Checked By:	Drawn By:
6/24/2025	<u> </u>	ARL	$_{ m JJG}$

APPROVED RY:

print:	
	ATTIO VED DI.
	D 1.

sign:

actual dimensions may vary slightly